# ACCEPTED FOR REGISTRATION

DOC ID: 568029

June 10, 2020

New York State Department of Environmental Conservation Division of Materials Management Pesticide Product Registration



Rainfast in 3 hours • See results in hours

Can re-seed turf I day after applying • Controls weeds and moss in turf

People and pets can enter treated area when spray dries

One gallon of concentrate will treat up to 10000 ft² (5000 ft² in California)

26.52%

73.48%

100.00%

Active Ingredient:
Iron HEDTA (FeHEDTA)
Other Ingredients:
Total:

EPA Reg. No. 67702-26 EPA Est. No. NET CONTENTS: I GALLON

# KEEP OUT OF REACH OF CHILDREN CAUTION

#### FIRST AID

IF IN EYES Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergency information call the poison control center at 1-800-222-1222.

# Registrant: W. Neudorff GmbH KG

An der Mühle 3 · 31860 Emmerthal · Germany Phone: 250-652-5888 · www.neudorffpro.com

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC

ANIMALS. CAUTION: Causes slight eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

#### **ENVIRONMENTAL HAZARDS**

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read and follow all applicable directions and precautions on this label before using.

SEE INSIDE PANELS FOR ADDITIONAL DIRECTIONS FOR USE, STORAGE AND DISPOSAL AND USE PRECAUTIONS

SITES: Lawns, turf (use on rights of way or non-crop areas), golf courses, parks, playgrounds, cemeteries, athletic fields

**Use Precautions:** Do not apply to drought stressed grass; ensure turf is well watered prior to application. Do not apply when the daytime temperature will exceed 85°F. Do not apply to bentgrass. If unsure of grass sensitivity, test spray a small area of the turf. Do not apply to newly seeded areas prior to grass seed germination. Avoid spraying desirable plants. Any desirable plants or structures accidentally contacted should be rinsed with water. To avoid staining, wait until treated area dries before re-entry. Do not apply if rainfall is expected within 3 hours of application. Do not irrigate within 3 hours of application. Do not apply to the same area more than 4 times a year.

PESTS: Controls or suppresses weeds such as but not limited to: Black medic (Medicago lupulina)§, Broadleaf plantain (Plantago major)\*, Bull thistle (Cirsium vulgare), Canada thistle (Cirsium arvense)\*, Common chickweed (Stellaria media)§‡, Creeping buttercup (Ranunculus repens), Creeping Charlie/Ground ivy (Glechoma hederacea)\*, Dandelion (Taraxicum officinale), Dovefoot geranium (Geranium molle)\*, English daisy (Bellis perennis)§, False dandelion (Hypochoeris radicata)\*, Healall (Prunella vulgaris)\*, Lawn burweed (Soliva ptero-sperma)\*, Narrow-leaved plantain (Plantago lanceolata)\*, Oxalis (Oxalis spp.)\*, Prostrate knotweed (Polygonum aviculare)\*, Shepherd's-purse (Capsella bursa-pastoris)\*, Silverweed cinquefoil (Potentilla anserina)\*, Speedwell spp. (including Persian Speedwell (Veronica persica) and Slender speedwell (Veronica filiformis)\*, White clover (Trifolium repens), Wild chamomile (Matricaria chamomilla)\*, Wild geranium (Geranium robertianum)\*, moss, algae\*, lichens\*, liverwoorts\*.

Controls or suppresses diseases such as but not limited to: Dollar Spot\*, Rust\*, Snow Mold\*

\* Not for use in California

§ Only approved for suppression in California

‡ Minimum application rate in California is 11.5 fl. oz./yd² or 9.8 ga/1000 sq.ft

## **Application Directions:**

Shake well before using. Mix one part Fiesta Turf Veed Killer with 24 parts water (5 oz. in 1 gallon of water). Apply the mixed solution at a rate of 2.5-10 gallons/1000 ft $^2$  (2.8-11.5 fluid oz/yard $^2$ ), or 4.9-10 gallons/1000 ft $^2$  (5.7-11.5 fl.oz./yd $^2$ ) in California.

The standard rate for Fiesta Turf Weed Killer is 5.75 fl. oz./yard²; use the higher rate (11.5 fl. oz./yard²) on tough perennial weeds, such as common chickweed§, buttercup and broad-leaved plantain\*. Fiesta Turf Weed Killer may also be used at 2.8 fl.oz./yard² (2.5 gallons/1000ft²)† on moss, slender speedwell\*, wild geranium\*, lawn diseases\* (such as dollar spot, rust, and snow mold), or on weed seedlings of false dandelion\*, English daisy\*, dandelion\* or white clover\*.

† Lower application rate not for use in California. Minimum application rate in California is 5.7 fl. oz./yd² or 4.9 ga/1000 sq.ft.
\* Not for use in California

§ only approved for suppression in California

Any standard hand-held or backpack sprayer can be used. Thoroughly spray weeds. Use a coarse nozzle setting to reduce drift. Uniform coverage is important. Repeat treatment in 3 to 4 weeks for best results.

For spot treatment: Shake well before using. Mix one part Fiesta Turf Weed Killer with 24 parts water (5 oz. in 1 gallon of water). Thoroughly spray weeds to point of runoff using any standard hand-held or backpack sprayer. Use a coarse nozzle setting to reduce drift. Repeat treatment in 3 to 4 weeks for best results.

For pre-emergent control\* of broadleaf weeds and crabgrass: Begin application when soil temperatures reach 50 to 55°F. Shake well before using. Mix one part Fiesta TurfWeed Killer with 24 parts water (5 fl. oz. in 1 gallon of water). Apply 5 to 10 gallons of spray solution per 1,000 sq. ft. depending on weed pressure. Reapply 3 to 6 weeks later for best results. \*Not for use in California

What will I see? Works quickly; dying weeds will be seen within hours of application. Treated weeds, moss or algae\* will turn brown or black. Occasionally a darkening of the grass leaf blades can occur after treatment; however the grass will recover within a few days to weeks. May stain thatch (dead grass under turf); this does not affect the health of the grass. Not for use in California

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in a secure place, away from open fire or flame. Keep container closed and reseal after use. If spilled, use absorbent materials and dispose of in an approved manner.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container <sup>1</sup>/<sub>4</sub> full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling, if available.

#### **BATCH CODE:**

#### **FIRST AID**

**IF IN** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, **EYES** after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergency information call the poison control center at 1-800-222-1222.

**NOTICE TO BUYER:** Seller warrants that this product conforms to the chemical description on this label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal conditions. To the extent consistent with applicable law, this warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller. To the extent consistent with applicable law, the Seller shall not be liable for any such use. To the extent consistent with applicable law, the Seller makes no other warranties, either expressed or implied.

# **FIESTA**

#### TURF WEED KILLER

Registrant: W. Neudorff GmbH KG

An der Mühle 3 · 31860 Emmerthal · Germany Phone: 250-652-5888 · www.neudorffpro.com

Patent #6,972,273

**EPA Reg. No. 67702-26** 

EPA Est. No.

**NET CONTENTS: I GALLON** 

## **Active Ingredient:**

Iron HEDTA (FeHEDTA)
Other Ingredients:
Total:

26.52% 73.48%

KEEP OUT OF REACH OF CHILDREN

CAUTION



12-18-19



# TURF WEED KILLER



Rainfast in 3 hours • See results in hours

Can re-seed turf I day after applying • Controls weeds and moss in turf

People and pets can enter treated area when spray dries

One gallon of concentrate will treat up to 10000 ft² (5000 ft² in California)

**Active Ingredient:** 

Iron HEDTA (FeHEDTA) 26.52% Other Ingredients: 73.48%

Total:

100.00% Est. No.

EPA Reg. No. 67702-26 EPA Est. No. NET CONTENTS: 2.5 GALLONS

# KEEP OUT OF REACH OF CHILDREN CAUTION

#### FIRST AID

#### IF IN EYES

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergency information call the poison control center at 1-800-222-1222.

## Registrant: W. Neudorff GmbH KG

An der Mühle 3 · 31860 Emmerthal · Germany Phone: 250-652-5888 · www.neudorffpro.com

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC

**ANIMALS. CAUTION:** Causes slight eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

#### **ENVIRONMENTAL HAZARDS**

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read and follow all applicable directions and precautions on this label before using.

SEE INSIDE PANELS FOR ADDITIONAL DIRECTIONS FOR USE, STORAGE AND DISPOSAL AND USE PRECAUTIONS

SITES: Lawns, turf (use on rights of way or non-crop areas), golf courses, parks, playgrounds, cemeteries, athletic fields

**Use Precautions:** Do not apply to drought stressed grass; ensure turf is well watered prior to application. Do not apply when the daytime temperature will exceed 85°F. Do not apply to bentgrass. If unsure of grass sensitivity, test spray a small area of the turf. Do not apply to newly seeded areas prior to grass seed germination. Avoid spraying desirable plants. Any desirable plants or structures accidentally contacted should be rinsed with water. To avoid staining, wait until treated area dries before re-entry. Do not apply if rainfall is expected within 3 hours of application. Do not irrigate within 3 hours of application. Do not apply to the same area more than 4 times a year.

PESTS: Controls or suppresses weeds such as but not limited to: Black medic (Medicago lupulina)§, Broadleaf plantain (Plantago major)\*, Bull thistle (Cirsium vulgare), Canada thistle (Cirsium arvense)\*, Common chickweed (Stellaria media)§‡, Creeping buttercup (Ranunculus repens), Creeping Charlie/Ground ivy (Glechoma hederacea)\*, Dandelion (Taraxicum officinale), Dovefoot geranium (Geranium molle)\*, English daisy (Bellis perennis)§, False dandelion (Hypochoeris radicata)\*, Healall (Prunella vulgaris)\*, Lawn burweed (Soliva ptero-sperma)\*, Narrow-leaved plantain (Plantago lanceolata)\*, Oxalis (Oxalis spp.)\*, Prostrate knotweed (Polygonum aviculare)\*, Shepherd's-purse (Capsella bursa-pastoris)\*, Silverweed cinquefoil (Potentilla anserina)\*, Speedwell spp. (including Persian Speedwell (Veronica persica) and Slender speedwell (Veronica filiformis)\*, White clover (Trifolium repens), Wild chamomile (Matricaria chamomilla)\*, Wild geranium (Geranium robertianum)\*, moss, algae\*, lichens\*, liverwoorts\*.

Controls or suppresses diseases such as but not limited to: Dollar Spot\*, Rust\*, Snow Mold\*

\* Not for use in California

§ Only approved for suppression in California

‡ Minimum application rate in California is 11.5 fl. oz./yd2 or 9.8 ga/1000 sq.ft

## **Application Directions:**

Shake well before using. Mix one part Fiesta Turf Weed Killer with 24 parts water (5 oz. in 1 gallon of water). Apply the mixed solution at a rate of 2.5-10 gallons/1000 ft² (2.8-11.5 fluid oz/yard²), or 4.9-10 gallons/1000 ft² (5.7-11.5 fl.oz./yd²) in California.

The standard rate for Fiesta Turf Weed Killer is 5.75 fl. oz./yard²; use the higher rate (11.5 fl. oz./yard²) on tough perennial weeds, such as common chickweed§, buttercup and broad-leaved plantain\*. Fiesta Turf Weed Killer may also be used at 2.8 fl.oz./yard² (2.5 gallons/1000ft²)† on moss, slender speedwell\*, wild geranium\*, lawn diseases\* (such as dollar spot, rust, and snow mold), or on weed seedlings of false dandelion\*, English daisy\*, dandelion\* or white clover\*.

† Lower application rate not for use in California. Minimum application rate in California is 5.7 fl. oz/yd² or 4.9 ga/1000 sq.ft.
\* Not for use in California

§ only approved for suppression in California

Any standard hand-held or backpack sprayer can be used. Thoroughly spray weeds. Use a coarse nozzle setting to reduce drift. Uniform coverage is important. Repeat treatment in 3 to 4 weeks for best results.

For spot treatment: Shake well before using. Mix one part Fiesta Turf Weed Killer with 24 parts water (5 oz. in 1 gallon of water). Thoroughly spray weeds to point of runoff using any standard hand-held or backpack sprayer. Use a coarse nozzle setting to reduce drift. Repeat treatment in 3 to 4 weeks for best results.

For pre-emergent control\* of broadleaf weeds and crabgrass: Begin application when soil temperatures reach 50 to 55°F. Shake well before using. Mix one part Fiesta Turf Weed Killer with 24 parts water (5 fl. oz. in 1 gallon of water). Apply 5 to 10 gallons of spray solution per 1,000 sq. ft. depending on weed pressure. Reapply 3 to 6 weeks later for best results. \*Not for use in California

What will I see? Works quickly; dying weeds will be seen within hours of application. Treated weeds, moss or algae\* will turn brown or black. Occasionally a darkening of the grass leaf blades can occur after treatment; however the grass will recover within a few days to weeks. May stain thatch (dead grass under turf); this does not affect the health of the grass. Not for use in California

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in a secure place, away from open fire or flame. Keep container closed and reseal after use. If spilled, use absorbent materials and dispose of in an approved manner.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container <sup>1</sup>/<sub>4</sub> full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling, if available.

#### **BATCH CODE:**

#### **FIRST AID**

**IF IN** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, **EYES** after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergency information call the poison control center at 1-800-222-1222.

**NOTICE TO BUYER:** Seller warrants that this product conforms to the chemical description on this label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal conditions. To the extent consistent with applicable law, this warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller. To the extent consistent with applicable law, the Seller shall not be liable for any such use. To the extent consistent with applicable law, the Seller makes no other warranties, either expressed or implied.

# **FIESTA**

#### TURF WEED KILLER

**Registrant:** W. Neudorff GmbH KG An der Mühle 3 · 31860 Emmerthal · Germany

Phone: 250-652-5888 · www.neudorffpro.com

Patent #6,972,273

**EPA Reg. No. 67702-26** 

EPA Est. No.

**NET CONTENTS: 2.5 GALLONS** 

## **Active Ingredient:**

Iron HEDTA (FeHEDTA)
Other Ingredients:
Total:

26.52% 73.48% 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION



12-18-19



# JRF WEED KILLER

Rainfast in 3 hours See results in hours Can re-seed turf I day after applying Controls weeds and moss in turf

People and pets can enter treated area when spray dries One gallon of concentrate will treat up to 10000 ft<sup>2</sup> (5000 ft<sup>2</sup> in California)

Active Ingredient	By weight	
Iron HEDTA (FeHEDTA)	26.52%	
Other Ingredients	73.48%	
Total	100.00%	

EPA Registration No. 67702-26 EPA Establishment No. **NET CONTENTS: 200 GALLONS** 

# KEEP OUT OF REACH OF CHILDREN

KEEF OU I	OF REACH OF CHILDREN
	CAUTION

FIRST A	ID
IF IN	Н
EYES	R

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergency information call the poison control center at I-800-222-1222.

### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS. CAUTION: Causes slight eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

## **ENVIRONMENTAL HAZARDS**

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

Effluent Discharge: Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

## **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read and follow all applicable directions and precautions on this label before

PESTS: Controls or suppresses weeds such as but not limited to: Black medic (Medicago lupulina)§, Broadleaf plantain (Plantago major)\*, Bull thistle (Cirsium vulgare), Canada thistle (Cirsium arvense)\*, Common chickweed (Stellaria media)§‡, Creeping buttercup (Ranunculus repens), Creeping Charlie/Ground ivy (Glechoma hederacea)\* Dandelion (Taraxicum officinale), Dovefoot geranium (Geranium molle)\*, English daisy (Bellis perennis)§, False dandelion (Hypochoeris radicata)\*, Healall (Prunella vulgaris)\*, Lawn burweed (Soliva ptero-sperma)\*, Narrow-leaved plantain (Plantago lanceolata)\*, Oxalis (Oxalis spp.)\*, Prostrate knotweed (Polygonum aviculare)\*, Shepherd's-purse (Capsella bursa-pastoris)\*, Silverweed cinquefoil (Potentilla anserina)\*, Speedwell spp. (including Persian Speedwell (Veronica persica) and Slender speedwell (Veronica filiformis)\*, White clover (Trifolium repens), Wild chamomile (Matricaria chamomilla)\*, Wild geranium (Geranium robertianum)\*, moss, algae\*, lichens\*, liverworts\*.

Controls or suppresses diseases such as but not limited to: Dollar Spot\*, Rust\*, Snow Mold\*

- \* Not for use in California
- § Only approved for suppression in California ‡ Minimum application rate in California is 11.5 fl. oz./yd² or 9.8 ga/1000 sq.ft

SITES: Lawns, turf (use on rights of way or non-crop areas), golf courses, parks, playgrounds, cemeteries, athletic fields

#### **Application Directions:**

Shake well before using. Mix one part Fiesta Turf Weed Killer with 24 parts water (5 oz. in 1 gallon of water). Apply the mixed solution at a rate of 2.5-10 gallons/1000 ft2 (2.8-11.5 fluid oz/yard<sup>2</sup>), or 4.9-10 gallons/1000 ft<sup>2</sup> (5.7-11.5 fl.oz./yd<sup>2</sup>) in California.

The standard rate for Fiesta Turf Weed Killer is 5.75 fl. oz./yard2; use the higher rate (11.5 fl. oz./yard $^2$ ) on tough perennial weeds, such as common chickweed $^\S$ , buttercup and broad-leaved plantain\*. Fiesta Turf Weed Killer may also be used at 2.8 fl.oz./yard2  $(2.5 \; gallons/1000 ft^2)^{\dagger} \; on \; moss, \; slender \; speedwell^*, \; wild \; \overset{\cdot}{geranium}^*, \; lawn \; diseases^* \; (such \; as \; diseases)^* \; (such \; as$ dollar spot, rust, and snow mold), or on weed seedlings of false dandelion\*, English daisy\*, dandelion\* or white clover\*.

Any standard hand-held or backpack sprayer can be used. Thoroughly spray weeds. Use a coarse nozzle setting to reduce drift. Uniform coverage is important. Repeat treatment in 3 to 4 weeks for best results.

- † Lower application rate not for use in California. Minimum application rate in California is 5.7 fl. oz./ yd $^2$  or 4.9 ga/1000 sq.ft. \* Not for use in California
- § only approved for suppression in California

For spot treatment: Shake well before using. Mix one part Fiesta Turf Weed Killer with 24 parts water (5 oz.in I gallon of water). Thoroughly spray weeds to point of runoff using any standard hand-held or backpack sprayer. Use a coarse nozzle setting to reduce drift. Repeat treatment in 3 to 4 weeks for best results.

For pre-emergent control\* of broadleaf weeds and crabgrass: Begin application when soil temperatures reach 50 to 55°F. Shake well before using. Mix one part Fiesta Turf Weed Killer with 24 parts water (5 fl. oz. in 1 gallon of water). Apply 5 to 10 gallons of spray solution per 1,000 sq. ft. depending on weed pressure. Reapply 3 to 6 weeks later for best results. \*Not for use in California

What will I see? Works quickly; dying weeds will be seen within hours of application. Treated weeds, moss or algae\* will turn brown or black. Occasionally a darkening of the grass leaf blades can occur after treatment; however the grass will recover within a few days to weeks. May stain thatch (dead grass under turf); this does not affect the health of the grass. \*Not for use in California

Use Precautions: Do not apply to drought stressed grass; ensure turf is well watered prior to application. Do not apply when the daytime temperature will exceed 85°F. Do not apply to bentgrass. If unsure of grass sensitivity, test spray a small area of the turf. Do not apply to newly seeded areas prior to grass seed germination. Avoid spraying desirable plants. Any desirable plants or structures accidentally contacted should be rinsed with water. To avoid staining, wait until treated area dries before re-entry. Do not apply if rainfall is expected within 3 hours of application. Do not irrigate within 3 hours of application. Do not apply to the same area more than 4 times a year.

# STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in a secure place, away from open fire or flame. Keep container closed and reseal after use. If spilled, use absorbent materials and dispose of in an approved manner.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Offer for recycling, if available.

## **BATCH CODE**

# **NOTICE TO BUYER**

Seller warrants that this product conforms to the chemical description on this label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal conditions. To the extent consistent with applicable law, this warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller. To the extent consistent with applicable law, the Seller shall not be liable for any such use. To the extent consistent with applicable law, the Seller makes no other warranties, either expressed or implied.

## Registrant: W. Neudorff GmbH KG

An der Mühle 3 31860 Emmerthal · Germany Phone: 250-652-5888 · www.neudorffpro.com Patent #6,972,273

ACCEPTED FOR REGISTRATION

June 10, 2020



New York State Department NEU of Environmental Conservation Division of Materials Management Pesticide Product Registration